

Review Article

Making sense of the infodemic – A bibliometric analysis of publications on COVID-19 in trauma and orthopedics

Srinivas B. S. Kambhampati¹, Raju Vaishya², Sravya Teja Paleti³, Vikas Khanduja⁴

¹Consultant Orthopaedic Surgeon, Sri Dhaatri Orthopaedic Maternity and Gynaecology Center, Kanaka Durga Gazetted Officers Colony, Vijayawada, Andhra Pradesh, ²Senior Consultant Orthopaedic and Joint Replacement Surgeon, Indraprastha Apollo Hospitals, Mathura Road, Sarita Vihar, New Delhi, Delhi, ³Department of Trauma and Orthopaedics, Alluri Sita Ramaraju Academy of Medical Sciences, Visakhapatnam Road, Eluru, Andhra Pradesh, India, ⁴Department of Trauma and Orthopaedics, Addenbrooke's Cambridge University Hospital, Hills Road, Cambridge, Cambridgeshire, United Kingdom.



***Corresponding author:**

Srinivas B. S. Kambhampati,
Consultant Orthopaedic
Surgeon, Sri Dhaatri
Orthopaedic Maternity and
Gynaecology Center, Kanaka
Durga Gazetted Officers
Colony, Vijayawada - 520 008,
Andhra Pradesh, India.

kbssrinivas@gmail.com

Received : 02 August 2020
Accepted : 25 September 2020
Published : 31 December 2020

DOI
10.25259/IJMS_206_2020

Quick Response Code:



ABSTRACT

The COVID-19 pandemic has prompted an explosion of publications to report, understand, further research, and manage this condition. While publications are analyzing the bibliometrics on this condition, there are none available specifically for the impact of COVID-19 on trauma and orthopedics. The aim of this study, therefore, was to perform a bibliometric analysis on COVID-19 and trauma and orthopedics to assess its impact on the specialty. A search for articles on COVID-19 concerning trauma and orthopedics, with the keywords: "COVID-19, New coronavirus, SARS-Cov-2, Orthopedic*, trauma, bone, and joint" were performed on the June 19, 2020, using SCOPUS and PUBMED and this resulted in 272 and 887 articles, respectively. Later, on the same day, we searched for orthopedic journals exclusively and extracted 258 articles from 58 journals. Furthermore, we analyzed the Altmetric data through the dimensions website to find the most popular articles on social media on this topic. After analyzing the data, we found that review articles were the most commonly published articles. The leading journal publishing this content were; The Journal of Bone and Joint Surgery (JBJS) American (35), followed by the Journal of Arthroplasty (22). There were 6936 authors involved in publishing 887 articles in 2020. Most articles were published by Vaishya (5) followed by Liang (5), and Iyengar (5). Analysis of Altmetric data showed a total number of citations of 5000 with a mean of 1.98. MedRxiv with 781 publications and 1616 citations was the preprint server with the most publications on dimensions. We studied details of the article with maximum AAS score of 25226 is with 840 citations. We have listed useful protocols from the search and top five cited articles from each search strategy. Publications on COVID-19 commenced from the 9th week of this year and have increased exponentially. Review articles (PubMed) and articles (Scopus) were the most published. The JBJS (Am) and J Arthroplasty have published the maximum number of articles on COVID-19. We found that for a fast evolving condition and for the short term, altmetrics may be better indicators than citations to follow directions of research. Publications with a low number of citations could have immense social media attention. This study should help in quantifying the value of research and publications related to orthopedics and trauma aspects of COVID-19 and therefore help the readers, researchers, and health-care providers to use this information effectively.

Keywords: Bibliometrics, COVID-19, Bibliometrics of COVID-19 in Trauma and Orthopedics, Orthopedic publications on COVID-19, COVID-19 publications in orthopedic Journals, Altmetrics of orthopedic publications on COVID-19

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-Share Alike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

©2020 Published by Scientific Scholar on behalf of Indian Journal of Medical Sciences

INTRODUCTION

COVID-19 was declared a pandemic on March 11, 2020, by the WHO.^[1] Since it started, the number of cases has increased exponentially across the globe. For countering a new viral disease such as this, research should occur at a rapid pace and at a global scale almost equaling the pace and scale of its spread. The literature and number of publications on this topic have swelled at exponential scale and pace across specialties. Publications on overall bibliometrics on this topic do exist as well.^[2,3] However, no bibliometric studies looking at COVID-19 in trauma and orthopedics. To look at how the specialty of trauma and orthopedics has been affected by this “Infodemic,” one needs to study the publications within the journals of his specialty. We studied publications on COVID-19 on the broad subject of orthopedics and trauma across journals as well as those published within the orthopedic journals in PubMed, Scopus, as well as in altmetrics and compared the outputs.

A study with a search strategy looking exclusively into orthopedic journals has not been reported in the literature to our knowledge.

MATERIAL AND METHODS

We did the search in Scopus using a search strategy (TITLE-ABS-KEY (“COVID-19” OR “SARS-Cov-2” OR covid19 OR “new coronavirus”) AND TITLE-ABS-KEY (orthopedic* OR orthopedic* OR trauma OR bone OR joint) AND NOT TITLE-ABS-KEY (psych* OR brain OR ptsd)) AND PUBYEAR > 2019 on June 19, 2020, and we found 272 articles. In the PubMed on the same day, we searched using a search strategy ((((((“COVID-19”[All Fields] OR “SARS-Cov-2”[All Fields]) OR ((“COVID-19”[Supplementary Concept] OR “COVID-19”[All Fields]) OR “covid19”[All Fields])) OR “new coronavirus”[All Fields]) AND (((“orthopedic*”[All Fields] OR “orthopedic*”[All Fields]) OR ((((((“injuries”[MeSH Subheading] OR “injuries”[All Fields]) OR “trauma”[All Fields]) OR “wounds and injuries”[MeSH Terms]) OR (“wounds”[All Fields] AND “injuries”[All Fields])) OR “wounds and injuries”[All Fields]) OR “trauma s”[All Fields]) OR “traumas”[All Fields])) OR (((“bone and bones”[MeSH Terms] OR (“bone”[All Fields] AND “bones”[All Fields])) OR “bone and bones”[All Fields]) OR “bone”[All Fields])) OR (((“joint s”[All Fields] OR “joints”[MeSH Terms]) OR “joints”[All Fields]) OR “joint”[All Fields])) NOT ((“psych*”[All Fields] OR ((“brain”[MeSH Terms] OR “brain”[All Fields]) OR “brains”[All Fields]) OR “brain s”[All Fields])) OR (((“stress disorders, post-traumatic”[MeSH Terms] OR (“stress”[All Fields] AND “disorders”[All Fields]) AND “post traumatic”[All Fields])) OR “post-traumatic stress disorders”[All Fields]) OR “ptsd”[All Fields])) AND 2020/1/1:2020/6/18[Date - Create].

This resulted in an output of 887 articles (PubMed Output 1 – PO1).

To search within the orthopedic journals, we obtained a list of 274 orthopedic journals with full names from SCIMAGO.^[4] When we performed a search in PubMed using the full names, the search was not satisfactory. Hence, we found the short names of these journals from PubMed to search. Out of the 274 journals, only 217 were listed in the PubMed database and hence only the names of these journals were included in the search (PubMed Output 2 or PO2). This produced 258 articles. To the best of our knowledge, no previous search was performed to locate articles within the orthopedic journals.

For Scopus, the whole search strategy with 217 journal names exceeded the maximum allowed search field capacity of characters and even in advanced search, the inclusion of these journal names did not give any output. Hence, we were unable to do the search restricted to within the orthopedic journals in Scopus. In PubMed, there was no such restriction and hence the search was completed with an output of 258 articles. Our search strategy in orthopedic journals was essentially the same as the first search strategy (PO1) but except for the inclusion of the short names on 217 journals mentioned above.

Our altmetric search strategy in dimensions website 5 (Free Version) was ((((((“COVID-19” OR “SARS-Cov-2” OR COVID19 OR “new coronavirus”) AND (orthopedic* OR orthopedic* OR trauma OR bone OR joint))) NOT (Psych* OR Brain OR PTSD))). It produced 7868 documents and when limited to 2020, the numbers were 7522.

Data were downloaded from PubMed and Scopus and stored and analyzed using Microsoft Excel 365. Citations were analyzed for top authors in PubMed using iCite website.^[6] We have enlisted the most cited articles and protocols published for the benefit of orthopedic surgeons.

RESULTS

There was a total of 887 articles from a PubMed search (PO1), 258 articles from orthopedic journals in PubMed (PO2), 272 articles from Scopus search, and 7522 publications from dimensions. There were only 188 publications that were common to both groups of PubMed (PO1 and PO2). So 699 from PO1 and 164 from PO2 were unique publications. 179 of the 272 listed in Scopus were also listed in either PO1 or PO2. Of the 1417 publications in PO1, PO2 and Scopus together, 761 articles were unique, and 656 articles were common to at least two search strategies. Dimensions include publications from preprint servers and hence the numbers are very high.

We have plotted the articles published (PO1 and PO2) in the past 25 weeks [Chart 1] and we can see that majority of the




Chart 1: Publications in the past 25 weeks in (PO1 & 2).

articles were published in 19th, 20th, and 21st weeks, That is, 88, 102, 99, and 31, 39, and 26 articles, respectively. Publications within orthopedic journals started appearing from 9th week onward.

We found that review articles were the most common articles [Chart 2], followed by editorial articles and cohort and surveys.

There were 55 protocols in the list of publications. Of these, 20 were found to be relevant to orthopedic practice. We have given the list of protocols published along with their subjects as we thought it would be useful for the reader [Table 1].

There were a total of 887 articles published in 416 journals (PO1). The Journal of Bone and Joint Surgery (JBJS) American published the most articles, that is, 35 articles, amounting to 3.95% of all the articles, followed by the Journal of Arthroplasty (22, 2.48%) and International Orthopedics (20, 2.25%) [Chart 3]. Out of these, 631 articles from 301 journals are available with free full text. The maximum free full-text articles were from the Journal of Arthroplasty (21), followed by the Journal of Bone and Joint Surgery, (JBJS) American (15).

In our second search, that is, PO2 (specific orthopedic journals), there were a total of 258 articles from 58 journals. The Journal of Bone and Joint Surgery (JBJS) American published the most articles, that is, 36 articles, amounting to 13.95% of all the articles, followed by the Journal of Arthroplasty (22, 8.53%) and International Orthopedics (20, 7.75%)

There were numerous articles published from different countries on COVID-19 in both PO1 and PO2. After analyzing the most cited articles of first authors from different countries (taken from countries of articles from the top ten publishing authors), we found that there was a




Chart 2: Types of studies versus weeks (PO1).

topic that each country was more focused on. In PO1, out of 98 articles published by the top ten authors, the majority of them were from China (61) followed by the United States of America (USA) (15), India (21), and Singapore (1). Out of 61 articles Published by China, 22 articles were related to clinical studies in medical issues of COVID-19 and 17 were about Basic Sciences, while USA articles were more focused on epidemiological studies (7). Indian articles were focused on general aspects (4) and Technology and Bibliography (8). In PO2, there were 35 articles published by the top ten authors from which countries were derived. Unlike PO1, India(11), USA(9), Canada(4), German (2), China (1), Singapore(1), and Italy(1) were the countries derived. Indian Articles were more focused on General aspects of COVID-19 in orthopedics (3), Technology and bibliometrics (4), whereas articles from USA were more focused on Arthroplasty(4), artificial intelligence(2), and impact on economy(1).

The maximum citation count from PubMed output 1 (PO1) was 1931 with a total count of 3764 for all articles. The maximum citation count from PubMed output 2 (PO2) was

Table 1: List of Protocols on COVID-19 useful to orthopedic surgeons (PO1+PO2).

Gruskay <i>et al.</i> , ^[1] J Bone Joint Surg Am	Universal Testing for COVID-19 in Essential Orthopedic Surgery Reveals a High Percentage of Asymptomatic Infections
Awad <i>et al.</i> , ^[2] J Am Acad Orthop Surg	Perioperative Considerations in Urgent Surgical Care of Suspected and Confirmed COVID-19 Orthopedic Patients: Operating Room Protocols and Recommendations in the Current COVID-19 Pandemic
Luengo-Alonso <i>et al.</i> , ^[3]	Critical adjustments in a department of orthopedics through the COVID-19 pandemic
Chellamuthu <i>et al.</i> , ^[4] Int Orthop	Pandemic response protocol of a non-frontline specialty in a multispecialty tertiary health care center a pilot model in orthopedics
Keny <i>et al.</i> , ^[5] J Orthop	Emergency and Urgent Orthopedic Surgeries in non-COVID patients during the COVID 19 pandemic: Perspective from India
Randelli <i>et al.</i> , ^[6] Knee Surg Sports Traumatol Arthrosc	Management of orthopedic and traumatology patients during the Coronavirus disease (COVID-19) pandemic in Northern Italy
Tanaka <i>et al.</i> , ^[7] J Bone Joint Surg Am	Telemedicine in the Era of COVID-19: The Virtual Orthopedic Examination
Sornsa-Ard <i>et al.</i> , ^[8] Asian Spine J	Management of Traumatic Spinal Fracture in the Coronavirus Disease 2019 Situation
Stillman <i>et al.</i> , ^[9] Spinal Cord Ser Cases	COVID-19 and spinal cord injury and disease: Results of an international survey
Firstenberg <i>et al.</i> , ^[10] Patient Saf Surg	Isolation protocol for a COVID-2019 patient requiring emergent surgical intervention: case presentation
Ducournau <i>et al.</i> , ^[11] Hand Surg Rehabil	COVID-19: Initial experience of an international group of hand surgeons
Tang <i>et al.</i> , ^[12] Int J Surg	Avoiding health worker infection and containing the coronavirus disease 2019 pandemic: Perspectives from the frontline in Wuhan
Gong <i>et al.</i> , ^[13] Anesth Analg	Anesthesia Considerations and Infection Precautions for Trauma and Acute Care Cases During the COVID-19 Pandemic
Guo F <i>et al.</i> , ^[14] J Med Virol	An effective screening and management process in the outpatient clinic for patients requiring hospitalization during the COVID-19 pandemic
O'Reilly <i>et al.</i> , ^[15] Emerg Med Australas	Informing emergency care for COVID-19 patients: The COVID-19 Emergency Department Quality Improvement Project protocol
Coccolini <i>et al.</i> , ^[16] World J Emerg Surg	Surgery in COVID-19 patients: Operational directives
Bajwa <i>et al.</i> , ^[17] Indian J Anaesth	Perioperative and critical care concerns in coronavirus pandemic
Huang <i>et al.</i> , ^[18] Crit Care	Special attention to nurses' protection during the COVID-19 epidemic
Casiraghi <i>et al.</i> , ^[18] Int Orthop	Operational strategies of a trauma hub in early coronavirus disease 2019 pandemic
Barnabas <i>et al.</i> , ^[19] Trials	Efficacy of hydroxychloroquine for post-exposure prophylaxis to prevent severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection among adults exposed to coronavirus disease (COVID-19): a structured summary of a study protocol for a randomized controlled trial




Chart 3: Top ten Orthopedic Journals Publishing on COVID-19 (PO1 and PO2).

lower with ten with a total citation count from all articles at 162. The most cited article from the Scopus was with 38 citations and maximum citation counts from dimensions

were 4700. We have listed the top five most cited articles from each search PO1, PO2, Scopus, and dimensions [Table 2].

Table 2: Top 5 Cited articles in PO1, PO2, Scopus and Dimensions.

Author, Journal, (PO1/PO2)	Title	Citation count
Huang et al., ^[20] Lancet (PO1)	Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China.	1931
Yao et al. ^[21] Infect. Dis. (PO1)	<i>In vitro</i> antiviral activity and projection of optimized dosing design of hydroxychloroquine for the treatment of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2).	143
Xu et al., ^[22] Sci China Life Sci (PO1)	Evolution of the novel coronavirus from the ongoing Wuhan outbreak and modeling of its spike protein for risk of human transmission.	117
Zheng et al., ^[23] Nat Rev Cardiol (PO1)	COVID-19 and the cardiovascular system.	112
Liu et al., ^[24] Sci China Life Sci (PO1)	Clinical and biochemical indexes from 2019 to nCoV infected patients linked to viral loads and lung injury.	111
Chen et al. ^[25] J Sport Health Sci (PO2)	Coronavirus disease (COVID-19): The need to maintain regular physical activity while taking precautions	10
Zou et al., ^[26] Asian Spine J (PO2)	Advice on Standardized Diagnosis and Treatment for Spinal Diseases during the Coronavirus Disease 2019 Pandemic.	9
Guo et al., ^[27] J Bone Joint Surg Am (PO2)	Survey of COVID-19 Disease Among Orthopedic Surgeons in Wuhan, People's Republic of China.	9
Stahel et al., ^[28] Patient Saf Surg (PO2)	How to risk-stratify elective surgery during the COVID-19 pandemic?	9
Rodrigues-Pinto et al., ^[29] J Bone Joint Surg Am (PO2)	Preparing to Perform Trauma and Orthopedic Surgery on Patients with COVID-19.	6
Chen et al., ^[30] Anesthesiology (Scopus)	Perioperative Management of Patients Infected with the Novel Coronavirus: Recommendation from the Joint Task Force of the Chinese Society of Anesthesiology and the Chinese Association of Anesthesiologists	38
Zhao et al., ^[31] Journal of Cardiothoracic and Vascular Anesthesia (Scopus)	Anesthetic Management of Patients with COVID 19 Infections during Emergency Procedures	18
Vannabouathong et al., ^[32] Journal of Bone and Joint Surgery - American Volume (Scopus)	Novel coronavirus COVID-19 current evidence and evolving strategies	11
Mi et al., ^[33] Journal of Bone and Joint Surgery - American Volume (Scopus)	Characteristics and early prognosis of COVID-19 infection in fracture patients	10
Guo et al., ^[27] The Journal of bone and joint surgery. American volume (Scopus)	Survey of COVID-19 Disease Among Orthopedic Surgeons in Wuhan, People's Republic of China	8
Huang et al., ^[20] Lancet (Dimensions)	Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China.	4700
Li et al., ^[34] NEJM (Dimensions)	Early Transmission dynamics in Wuhan, China of novel Coronavirus infected Pneumonia	2100
Doremalen et al., ^[35] NEJM (Dimensions)	Aerosol and surface stability of SARS-Cov-2 as compared to SARS-Cov-1	840
Mehta et al., ^[36] Lancet (Dimensions)	COVID-19: Consider Cytokine storm syndrome and immunosuppression	683
Cao et al., ^[37] NEJM (Dimensions)	A trial of Lopinavir - Ritonavir in adults hospitalized with severe COVID-19	659

There were 887 articles published from 416 journals in 2020 (PO1), and 258 articles from 58 journals in PO2. The total unique authors (non-repetitive and includes all authors) in PO1 and PO2 were 6936 and 1447, respectively [Table 3]. The maximum number of articles was published by Vaishya R (5) in PO1 and by Vaid S(3) in PO2 [Table 4].

From the Scopus search, we found 272 articles from 162 Journals after excluding psychiatry related articles. Journal of Arthroplasty published most of the articles, that is, 12 articles, followed by the Journal of Clinical Orthopedics and Trauma (9). The different types of articles published are given in Chart 4.

The majority of the articles published in Scopus were in the English language (120), followed by Chinese (6), French (4), and German (2) languages.

Altmetric analysis

When the output from the altmetric search was analyzed, the total number of citations in 2020 was 7836 with a mean of 1.98. MedRxiv was the most publishing journal with 781 publications and 1616 citations [Table 5]. Raju Vaishya was the most published author with 20 publications and 59 citations [Table 6].

We listed the top five publications with their altmetric attention scores and citations in Table 7.

We have given the linked page of the publication with maximum AAS score of 25,226 [Figures 1 and 2]. It has resulted in more than 26,411 tweets by 22,572 users on Twitter and followed by more than 24 million followers with 840 citations. The top five articles contained one article (Doremalen *et al.*) cited twice with two different AAS scores and citations but published by two different publishers.

In dimensions, there were a total of 7522 articles, one dataset, seven grants, three patents, 111 clinical trials, and 192 policy

Table 3: Numbers in PO1, PO2 and Scopus.

	PO1	PO2	Scopus
Total Publications	887	258	272
Total Free Full-text articles	631	193	-
Total number of first authors	772	240	260
Total number of Unique authors	6936	1447	1894
Total number of journals	416	58	162
Total Free full-text journals	301	45	-

Table 4: Publications by first authors.

PO1	PO2
Vaishya (5)	Vaid S (3)
Liang (5)	Chen P (3)
Iyengar (5)	Ding BTK (2)
Zhang (4)	Hughes D (2)
Sen-Crowe (4)	Ducournau F (2)
Lakkireddy (4)	Dyer GSM (2)
O'Reilly (4)	Thaler M (2)
Chakraborty (4)	Haddad FS (2)
Kumar (4)	Yadav SK (2)
Cioffi (4)	Hernigou J (2)

Table 5: Top ten journals in Dimensions.

Name	Publications	Citations	Citations Mean
medRxiv	781	1,616	2.07
SSRN Electronic Journal	573	227	0.40
Research Square	243	35	0.14
bioRxiv	155	476	3.07
Psychological Trauma Theory Research Practice	65	1	0.02
The BMJ	64	464	7.25
The Lancet	62	7,030	113.39
Science	50	705	14.10
Journal of Medical Virology	49	619	12.63
Mental Health Weekly	47	4	0.09

documents. The 7522 articles were further divided into types given in [Figure 3]. Eighty-five percent of these were journal articles.

DISCUSSION

Bibliometric studies on COVID-19, on various non-orthopedic specialties, have been published before.^[2,3,39] These studies have been on the overall publications rather than specialty related. We have done a bibliometric analysis related to COVID-19 in trauma and orthopedics by two methods: Orthopedic related articles in general journals as well as those published in exclusively orthopedic journals. We found that there is an overlap of publications between both groups but neither group produced a complete list as there were differences between the groups. Furthermore, to see recent trends, we looked at the altmetrics through dimensions website to find the most popular articles in social media and research on this topic.

We matched the output of orthopedic journals from SCIMAGO, numbering 274, and looked up the list of all journals published by PubMed numbering 8504. Unfortunately, we got only 27 exact matches for the names derived from Scopus that matched with the full names present in the database of journals of PubMed, which makes it only one-tenth of the SCIMAGO list.

We attempted to compare outputs from three search engines using two search strategies resulting in four outcomes. A search specifically within a list of 217 orthopedic journals, and an output with altmetrics, to the best of our knowledge, has not been done before.

The outputs between the two searches were different with some common publications as seen in the author and journal numbers (PO1 and PO2). While the orthopedic search retrieved publications from within orthopedic journals only, the first search (PubMed output 1) retrieved citations from all journals (including orthopedic) related




Chart 4: Types of articles in Scopus ($n = 272$).

Table 6: Top authors in Dimensions.

Name Organization, Country	Publications	Citations	Citations mean
Raju Vaishya Indraprastha Apollo Hospitals, India	20	59	2.95
Gerardo Chowell Georgia State University, United States	18	401	22.28
Benjamin John Cowling University of Hong Kong, China	15	2,486	165.73
Adel Elkbuli University of Miami, United States	12	22	1.83
Giuseppe Lippi University of Verona, Italy	11	356	32.36
Xin-Miao Fu Fujian Normal University, china	11	16	1.45
Mark George Mckenney University of South Florida, United States	10	22	2.20
Kenji Mizumoto Kyoto University, Japan	10	93	9.30
Karthikayan P Iyengar Southport and Ormskirk Hospital NHS Trust, United Kingdom	9	12	1.33
MohdJavaid Jamia Milia Islamia, India	9	47	5.22
Abid Haleem Jamia Milia Islamia, India	9	47	5.22
Gareth Iacobucci British Medical Association, United Kingdom	9	14	1.56

Table 7: Top 5 publications according to AAS.

Article	AAS score	Citations
van Doremalen <i>et al.</i> ^[35]	25224	840
Huang <i>et al.</i> ^[20]	14242	4700
Wang <i>et al.</i> ^[38]	12422	110
van Doremalen <i>et al.</i> ^[35]	11248	53
Sanche <i>et al.</i> ^[39]	8655	90

to the orthopedic keywords. The first search retrieved citations from maxillofacial, neurological, and psychiatric journals also, giving out papers related to dental trauma, post-traumatic stress disorders, and mental trauma. This is a drawback while searching through general journals. While the number of citations retrieved will be high for relevant articles, several unrelated citations may also be retrieved. The search among ortho journals was more specific. However, this search has left out some important citations related to trauma and orthopedics as well as general aspects of COVID-19 published in high impact medical journals. This is seen in the list of protocols derived. We found more protocols listed from the PO1 strategy than PO2. We have listed the protocols published on this topic since we felt it would be a useful list for the orthopedic surgeons in this time of crisis. The list is a combination of both search strategies. The majority of them derived were from the first strategy (PO1).

Chart 1 shows the weekly publications from each search. PO1 strategy is higher than PO2 but the trends appear similar in both. Scopus gave a total of 272 articles, while dimensions gave 7522 publications. PO2 publications received lower citation numbers than PO1. This could be because PO1 journals were more general with higher impact factors and also the fact that PO2 publications started appearing later than PO1 publications in the timeline [Chart 1].

Another option would be to combine the two search strategies. However, the drawbacks associated with the general search remain with such a search strategy. Even though the first search retrieved more articles, we have seen that it has missed some citations from JBJS Am as it retrieved only 35 publications while the second search retrieved 36 citations from the journal JBJS Am.

We looked at the citation numbers received by publications by the leading authors on this topic in orthopedic journals. Of the total of 54 papers published by the top ten authors in Scopus, they received a total of 53 citations. On PubMed, we found 34 articles published by the top ten authors and analyzed in iCite. The total citations were 19 for 34 articles with a mean citation per pub of 0.56 and a maximum of four citations for a publication. Normally, it takes few years, on average 7–10 years to reach a peak in the number of citations received by a paper and very few citations are received in the first year. In this case, within the first 3 months, a total




Figure 1: Social media attention for Top AAS scored publication (Twitter and Facebook).




Figure 2: Metrics scored for the top publication in altmetrics/dimensions.

number of citations equal to the total number of publications by top authors are a notable finding.

Measuring interest and metrics in a particular branch of research for a new disease like COVID-19 are difficult for three reasons: (a) The rapid rate at which research evolves, (b) the scale at which the research publications are produced, and (c) the simultaneous branches of research that occur to understand and treat such a condition. Traditional ways of measuring performance metrics involve looking at and based

on the citation counts for publications. While these may be good measures for slow evolving conditions such as elective or cold orthopedic conditions or procedures, they may not be ideal for rapidly changing diseases since they take time to accumulate.

With the availability of social media and electronic resources, research is disseminated at a rapid rate and altmetrics is used to measure the attention the research gets to give an altmetric attention score (AAS). This was




Figure 3: Publication types in dimensions.

developed to capture the attention a publication gets in the social media (Blogs, Facebook, Twitter, and Reddit), in addition to citations received. Among the current metrics available, AAS would be ideal for showing the immediate attention received by a publication. For a fast-evolving condition like COVID-19, where branches of research become unpredictable and fast-changing, even these metrics may have to be scrutinized on a monthly or even weekly basis to predict directions of research, analogous to the indices used to measure in financial markets where the second to second or minute by minute change is crucial in predicting trends.

The reach of social media sites has increased exponentially since its inception. The prominent sites among these include Twitter, Facebook, and Reddit. Metrics have been designed to assess the popularity of a topic on these sites. The most commonly used tool to improve and study these metrics is the hashtag in the social media. Altmetrics (or Alternate Metrics) are a new way of finding out the popularity of a publication in the social as well as the scientific circles. A score is given to each publication depending on popularity in the social media as well as citation counts obtained. This score has been named altmetric attention score (AAS).

We studied the altmetric scores for the same strategy used to search in PubMed (PO1) and presented the output based on AAS scores. The search field could not accommodate the strategy; we used to search in orthopedic journals (PO2). These scores may change from day to day depending on the interest gained or lost. One caveat about AAS is that not all attention gained is positive in all cases. Even negative attention could contribute to a high AAS. The dimensions website also provides options to view publications in decreasing order of Field Citation Ratio, Relative Citation Ratio, as well as Citations of the publications produced by the search strategy.

The publication with maximum AAS score of 25226 has 840 citations, and it was published in the April 2020 issue of New England Journal of Medicine. Within 6 weeks, it has clocked 24 million followers on Twitter. Further studies are needed by tracking publications with such high AAS scores to see if they evolve to be the highest cited publications in the future. If that happens, AAS scores would be valuable in identifying quality publications much before peak citations are seen. However, for this to happen, one would need to see what the AAS scores of these publications were in the early stages. This study could act as a baseline for the assessment of these articles after some time to check on citation counts and altmetrics received.

Altmetrics give quick access to topics and branches of topics that are popular by way of the attention they receive in social media. The difference here from citation counts is that citations are given by the researchers and professionals of the same field of study. In contrast, AAS includes attention from everybody in the society. As researchers increasingly use social media for dissipation and sharing of ideas, major users could be researchers. Whereas with citation numbers, the attention gained by a publication is evaluated by other publications, in AAS, actions such as downloading an article, sharing and following of a study could increase its worth potentially giving important insight into the attention received by a publication from scientists as well as members of the society.

One disadvantage of too much reliance on altmetrics would be that to get higher AAS scores, manuscripts could cater to the general public and get less technical and conversely, manuscripts which are too technical, may not interest general public, and may not be shared as frequently in the social domain and hence could receive lower AAS scores than those which interest the general public.

As surgeons, we need good sources of information that give accurate and reliable information that can be used for our practice to benefit our patients. With evidence-based medicine forming a major component of today's practice, sources of evidence become important. We endeavor to try and improve our sources to produce evidence, that is, accurate, reliable, reproducible, fast, and easy to access. There are multiple ways to search the literature and each method could produce a different outcome. With multiple search engines on the fray, it is important to know the strengths and weaknesses of each search engine to compose an effective search strategy. The best search strategy should produce an output that contains all the relevant citations that are recent, well-cited, important, and not leave out any article that is related to the search topic. It should also minimize citations that are not relevant to the topic that is being searched.

Bibliometric studies like ours offer several advantages [Table 8] as these are useful tools to measure the research impact

Table 8: Advantages and disadvantages of bibliometrics.

Advantages	Disadvantages
Quantitative way of measurement of research impact	Distinguish metrics between cited and not cited articles and not necessarily the best quality articles.
Research impact is readily comparable	An article may be cited a lot, but for negative reasons.
Transparent and reproducible procedure	Metrics can be misused and exploited by the researchers
Inexpensive and lesser time consuming	May prompt researchers to publish work which is likely to be cited more, rather than for its value or quality.
Scalable (Individual/ Institutional/National/ International)	Areas of study needs to be taken into consideration, as publications and citations are variable
Help in relation to the next REF (Research Excellence Framework)	Not reasonable to compare different areas of specialty like Arts with Medicine.

quantitatively and hence become an objective way of analysis. It also helps in comparing the impact of a research more readily than with the peer review, which is subjective. Moreover, this type of analysis is transparent, and the results are reproducible, using the same methods. To conduct these studies is inexpensive and takes relatively lesser time, to produce and use.^[40]

Limitations of our study

We have discussed the advantages and drawbacks of PO1 and PO2 search strategies. We have only used the free version of dimensions which is available for public use. If a further analysis on of altmetrics is to be done, a subscription to the altmetrics or dimensions is required.

CONCLUSIONS

The publications on COVID-19 started from 9th week of 2020 and have increased exponentially, indicating proportional increase in research activity. Publications in specialist orthopedic journals began to appear later and had lower citation counts. There is a steady rise in the publication of protocols weekly on this topic. Reviews (PubMed) and direct articles (Scopus) were the most published and had been increasing recently. The JBJS (Am) and the J Arthroplasty have published the maximum number of articles on COVID-19 and provided free full-text articles, respectively. Publications from different countries focused on different aspects of the condition and its effects on orthopedics and trauma. We have listed clinically useful protocols from the search. This study should help in quantifying the value of research and publications related to orthopedics and trauma aspects of COVID-19 and therefore helps the readers,

researchers, and health-care providers to use this information effectively.

Top five publications from PO1 search output had more citations than orthopedic specific search of PO2. An orthopedic journal-specific search may be useful for specialty-specific condition but for COVID-19, a combination search is useful. Future researchers should note this while designing search strategies. Although the COVID-19 related articles received quick citations in a short period, citations may not be ideal for rapidly changing diseases as they take time to accumulate. Publications with low citation counts could have immense social media attention. Altmetric scores may be useful to find branches of research gaining attention in the social and scientific circles. Standardization of names of journals between search engines would improve output from search strategies.

Declaration of patient consent

Patient's consent not required as there are no patients in this study.

Financial support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

REFERENCES

1. Gruskay JA, Dvorzhinskiy A, Konnaris MA, LeBrun DG, Ghahramani GC, Premkumar A, *et al.* Universal testing for COVID-19 in essential orthopaedic surgery reveals a high percentage of asymptomatic infections. *J Bone Joint Surg Am* 2020;102:1379-88.
2. Awad ME, Rumley JCL, Vazquez JA, Devine JG. Perioperative considerations in urgent surgical care of suspected and confirmed COVID-19 orthopaedic patients: Operating room protocols and recommendations in the current COVID-19 pandemic. *J Am Acad Orthop Surg* 2020;28:451-63.
3. Luengo-Alonso G, Pérez-Tabernero FG, Tovar-Bazaga M, Arguello-Cuenca JM, Calvo E. Critical adjustments in a department of orthopaedics through the COVID-19 pandemic. *Int Orthop* 2020;44:1557-64.
4. Chellamuthu G, Muthu S. Pandemic response protocol of a non-frontline specialty in a multispecialty tertiary health care centre-a pilot model in orthopaedics. *Int Orthop* 2020;44:1481-7.
5. Keny S, Bagaria V, Chaudhary K, Dhawale A. Emergency and urgent orthopaedic surgeries in non-COVID patients during the COVID 19 pandemic: Perspective from India. *J Orthop* 2020;20:275-9.
6. Randelli PS, Compagnoni R. Management of orthopaedic and traumatology patients during the Coronavirus disease (COVID-19) pandemic in northern Italy. *Knee Surg Sports*

- Traumatol Arthrosc 2020;28:1683-9.
7. Tanaka MJ, Oh LS, Martin SD, Berkson EM. Telemedicine in the era of COVID-19: The virtual orthopaedic examination. *J Bone Joint Surg Am* 2020;102:e57.
 8. Sornsa-Ard T, Niramitsantiphong A, Liawrungrueang W. Management of traumatic spinal fracture in the Coronavirus disease 2019 situation. *Asian Spine J* 2020;14:385-7.
 9. Stillman MD, Capron M, Alexander M, di Giusto ML, Scivoletto G. COVID-19 and spinal cord injury and disease: Results of an international survey. *Spinal Cord Ser Cases* 2020;6:21.
 10. Firstenberg MS, Libby M, Ochs M, Hanna J, Mangino JE, Forrester J. Isolation protocol for a COVID-2019 patient requiring emergent surgical intervention: Case presentation. *Patient Saf Surg* 2020;14:15.
 11. Ducournau F, Arianni M, Awwad S, Baur EM, Beaulieu JY, Bouloudhne M, *et al.* COVID-19: Initial experience of an international group of hand surgeons. *Hand Surg Rehabil* 2020;39:159-66.
 12. Tang LH, Tang S, Chen XL, Zhang S, Xiong Y, Chen R, *et al.* Avoiding health worker infection and containing the Coronavirus disease 2019 pandemic: Perspectives from the frontline in Wuhan. *Int J Surg* 2020;79:120-4.
 13. Gong Y, Cao X, Mei W, Wang J, Shen L, Wang S, *et al.* Anesthesia considerations and infection precautions for trauma and acute care cases during the COVID-19 pandemic: Recommendations from a task force of the Chinese society of anesthesiology. *Anesth Analg* 2020;131:326-34.
 14. Guo F, Du Z, Wang T. An effective screening and management process in the outpatient clinic for patients requiring hospitalization during the COVID-19 pandemic. *J Med Virol* 2020;92:1797-8.
 15. O'Reilly GM, Mitchell RD, Noonan MP, Hiller R, Mitra B, Brichko L, *et al.* Informing emergency care for COVID-19 patients: The COVID-19 emergency department quality improvement project protocol. *Emerg Med Australas* 2020;32:511-4.
 16. Coccolini F, Perrone G, Chiarugi M, di Marzo F, Ansaloni L, Scandroglia I, *et al.* Surgery in COVID-19 patients: Operational directives. *World J Emerg Surg* 2020;15:25.
 17. Huang L, Lin G, Tang L, Yu L, Zhou Z. Special attention to nurses' protection during the COVID-19 epidemic. *Crit Care* 2020;24:120.
 18. Casiraghi A, Domenicucci M, Cattaneo S, Maggini E, Albertini F, Avanzini S, *et al.* Operational strategies of a trauma hub in early Coronavirus disease 2019 pandemic. *Int Orthop* 2020;44:1511-8.
 19. Barnabas RV, Brown E, Bershteyn A, Miller RS, Wener M, Celum C, *et al.* Efficacy of hydroxychloroquine for post-exposure prophylaxis to prevent severe acute respiratory syndrome Coronavirus 2 (SARS-CoV-2) infection among adults exposed to Coronavirus disease (COVID-19): A structured summary of a study protocol for a randomised controlled trial. *Trials* 2020;21:475.
 20. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, *et al.* Clinical features of patients infected with 2019 Novel Coronavirus in Wuhan, China. *Lancet* 2020;395:497-506.
 21. Yao X, Ye F, Zhang M, Cui C, Huang B, Niu P, *et al.* *In vitro* antiviral activity and projection of optimized dosing design of hydroxychloroquine for the treatment of severe acute respiratory syndrome Coronavirus 2 (SARS-CoV-2). *Clin Infect Dis* 2020;71:732-9.
 22. Xu X, Chen P, Wang J, Feng J, Zhou H, Li X, *et al.* Evolution of the novel Coronavirus from the ongoing Wuhan outbreak and modeling of its spike protein for risk of human transmission. *Sci China Life Sci* 2020;63:457-60.
 23. Zheng YY, Ma YT, Zhang JY, Xie X. COVID-19 and the cardiovascular system. *Nat Rev Cardiol* 2020;17:259-60.
 24. Liu Y, Yang Y, Zhang C, Huang F, Wang F, Yuan J, *et al.* Clinical and biochemical indexes from 2019-nCoV infected patients linked to viral loads and lung injury. *Sci China Life Sci* 2020;63:364-74.
 25. Chen P, Mao L, Nassis GP, Harmer P, Ainsworth BE, Li F. Coronavirus disease (COVID-19): The need to maintain regular physical activity while taking precautions. *J Sport Health Sci* 2020;9:103-4.
 26. Zou J, Yu H, Song D, Niu J, Yang H. Advice on standardized diagnosis and treatment for spinal diseases during the Coronavirus disease 2019 pandemic. *Asian Spine J* 2020;14:258-63.
 27. Guo X, Wang J, Hu D, Wu L, Gu L, Wang Y, *et al.* Survey of COVID-19 disease among orthopaedic surgeons in Wuhan, people's republic of China. *J Bone Joint Surg Am* 2020;102:847-54.
 28. Stahel PF. How to risk-stratify elective surgery during the COVID-19 pandemic? *Patient Saf Surg* 2020;14:8.
 29. Rodrigues-Pinto R, Sousa R, Oliveira A. Preparing to perform trauma and orthopaedic surgery on patients with COVID-19. *J Bone Joint Surg Am* 2020;102:946-50.
 30. Chen X, Liu Y, Gong Y, Guo X, Zuo M, Li J, *et al.* Perioperative management of patients infected with the novel Coronavirus: Recommendation from the joint task force of the Chinese society of anesthesiology and the Chinese association of anesthesiologists. *Anesthesiology* 2020;132:1307-6.
 31. Zhao S, Ling K, Yan H, Zhong L, Peng X, Yao S, *et al.* Anesthetic management of patients with COVID 19 infections during emergency procedures. *J Cardiothorac Vasc Anesth* 2020;34:1125-31.
 32. Vannabouathong C, Devji T, Ekhtiari S, Chang Y, Phillips SA, Zhu M, *et al.* Novel Coronavirus COVID-19: Current evidence and evolving strategies. *J Bone Joint Surg Am* 2020;102:734-44.
 33. Mi B, Chen L, Xiong Y, Xue H, Zhou W, Liu G. Characteristics and early prognosis of COVID-19 infection in fracture patients. *J Bone Joint Surg Am* 2020;102:750-8.
 34. Li Q, Guan X, Wu P, Wang X, Zhou L, Tong Y, *et al.* Early transmission dynamics in Wuhan, China, of novel Coronavirus-infected pneumonia. *N Engl J Med* 2020;382:1199-207.
 35. van Doremalen N, Bushmaker T, Morris DH, Holbrook MG, Gamble A, Williamson BN, *et al.* Aerosol and surface stability of SARS-CoV-2 as compared with SARS-CoV-1. *N Engl J Med* 2020;382:1564-7.
 36. Mehta P, McAuley DF, Brown M, Sanchez E, Tattersall RS, Manson JJ, *et al.* COVID-19: Consider cytokine storm syndromes and immunosuppression. *Lancet* 2020;395:1033-4.
 37. Cao B, Wang Y, Wen D, Liu W, Wang J, Fan G, *et al.* A trial of lopinavir-ritonavir in adults hospitalized with severe COVID-19. *N Engl J Med* 2020;382:1787-99.

38. Wang Y, Zhang D, Du G, Du R, Zhao J, Jin Y, *et al.* Remdesivir in adults with severe COVID-19: A randomised, double-blind, placebo-controlled, multicentre trial. *Lancet* 2020;395:1569-78.
39. Sanche S, Lin YT, Xu C, Romero-Severson E, Hengartner N, Ke R. High contagiousness and rapid spread of severe acute respiratory syndrome Coronavirus 2. *Emerg Infect Dis* 2020;26:1470-7.
40. Pros and Cons of Bibliometrics. Library Research Support.

London: The Open University; 2020. Available from: <http://www.open.ac.uk/library-research-support/bibliometrics/pros-and-cons-bibliometrics>. [Last accessed on 2020 Jul 06].

How to cite this article: Kambhampati SB, Vaishya R, Paleti ST, Khanduja V. Making sense of the infodemic – A bibliometric analysis of publications on COVID-19 in trauma and orthopedics. *Indian J Med Sci* 2020;72(3):155-66.